CH18 UNDERWATER CHIPPING HAMMER



STANLEY





The ergonomic "D" handle with inside trigger prevents accidental operation of the tool. The handle is Plastisol coated for diver comfort. The **CH18** has a slide latch design tool bit retainer that will accept .580 hex shank, round collar tool bits. Painted hi-visibility yellow.

SPECIFICATIONS	
Steel Capacity	.580 Hex Shank, Round Collar Tool Bits
Handle Type	"D" Handle, with Inside Trigger
Circuit Type	Open Center
Flow Range	7-9 gpm / 26-34 lpm
Optimum Flow	8 gpm / 30 lpm
Working Pressure	1500-2000 psi / 105-140 bar
Full Relief Setting	2250 psi / 155 bar
Weight (less tool bit)	18.2 lbs / 8.2 kg
Length	20" / 51 cm
Hydraulic Ports	-6 SAE O-ring
Couplers	No (See Accessories)
Hose Whips	Yes (%" NPT Male thread)

FEATURES

- Ergonomic "D" handle with inside trigger
- Stainless Steel spool and fasteners
- Handle is Plastisol coated for diver comfort
- Uses standard .580 hex shank, round collar tool bits
- High power to weight ratio
- Operates in any position

CH18 UNDERWATER CHIPPING HAMMER

STANLEY

ORDERING INFORMATION

PART NUMBER


CH18311 Chipping Hammer, Underwater, .580 Hex Shank, Round Collar, Slide Retainer, less couplers

ACCESSORIES	
03971	Flush-Face Coupling Set, %" NPT
03974	Flush-Face Coupling Set, ½" NPT
31848	Dual Hose, 50' x ½", with couplers
31972	Dual Hose, 25' x ½", with couplers
58633	Twinned Hose, 25' x ½", with couplers
58634	Twinned Hose, 50' x ½", with couplers
02278	Flat Chisel, 1" x 18", .580 Hex Shank, Round Collar
02279	Bull Point, 1" x 18", .580 Hex Shank, Round Collar
03690	Chisel Bit, 1" x 9", .580 Hex Shank, Round Collar
03963	Chisel Bit, 2" x 5", .580 Hex Shank, Round Collar

When hydraulic hose exceeds 100' (30.4 m) in length, increase I.D. of both pressure and return hose. For more information, consult Stanley Hydraulic Tools.

IMPORTANT

To fill out a Product Warranty Recording form and for information on your warranty visit stanleyhydraulic.com and select the Warranty tab.



Note: The warranty recording form must be submitted to validate the warranty.



All Stanley Hydraulic Tools, parts, accessories and allied equipment are subject to design improvements, specifications and price changes at any time without notice and with no obligation to units already sold. Weights, dimensions and operating specifications listed herein are subject to change without notice. Where specifications are critical to your applications, please consult Stanley Hydraulic Tools.

