

HP210B POWER UNIT

STANLEY



FEATURES:

- The hydraulic pump is mounted directly to the engine eliminating any misalignment and ensuring long life of the drive coupling.
- A quartz hour meter in the control panel records engine run time.
- All components in the HP210 are assembled for easy routine servicing. The upper frame can be removed for more serious servicing.
- An in-tank hydraulic filter continuously cleans the hydraulic fluid and assures that refill fluid passes through the filter for a clean refill.
- A 35-Ah sealed, non-spillable, no-maintenance battery is located inside a covered compartment.
- Moving the HP210 around is made easy with a lift-and-latch handle.
- The Briggs engine has a pressure lubrication systems with a pressure sensing switch that will shut down the engine if the engine oil level is too low.

SPECIFICATIONS

HP210	
Output Capacity	2 x 5 GPM / 2 x 20 LPM
	1 x 10 GPM / 1 x 40 LPM
Pressure	2000 PSI
	140 BAR
Circuit Type	Open Center
Hydraulic Reservoir Capacity	3 Gallons
	11 Liters
Fuel Tank Capacity	5.5 Gallons
	20.8 Liters
Weight	334 LBS
	151 KG
Length	36 IN
	91 CM
Width	23 IN
	58 CM
Height	29 IN
	74 CM
Engines	Briggs & Stratton 18 HP Vanguard
Connector	HTMA Flush Faced coupler

HP210 POWER UNIT

STANLEY



ORDERING INFORMATION

MODEL	PART NO.	DESCRIPTION
HP210	HP210BK	Skid Mount Dual Circuit Briggs & Stratton 18 hp No Wheels
	HP210B	Dual Circuit Briggs & Stratton 18hp w/ Wheels

ACCESSORIES

ITEM NO.	DESCRIPTION
31848	Dual Hose, 50 ft x 1/2 in., w/Couplers
31972	Dual Hose, 25 ft x 1/2 in., w/Couplers
58633	Twinned Hose, 25 ft x 1/2 in., w/Couplers
58634	Twinned Hose, 50 ft x 1/2 in., w/Couplers
13360	Hose Basket Kit
33212	Weather Cover



WARRANTY

Stanley Hydraulic Tools and their associated parts are warranted against defects in materials and workmanship for a period of twelve months from the date of purchase. Stanley Hydraulic Tools reserves the right to repair or replace only those parts which prove to have been defective at the time of purchase. This warranty becomes void if maximum flow and pressure ratings are exceeded.

All Stanley Hydraulic Tools, parts, accessories and allied equipment are subject to design improvements, specifications and price changes at any time without notice and with no obligation to units already sold. Weights, dimensions and operating specifications listed herein are subject to change without notice. Where specifications are critical to your applications, please consult Stanley Hydraulic Tools.