HP12 INTERMOUNTAIN STANLEY. POWER UNIT



FEATURES:

- Type II or Type III hydraulic circuit with superior cooling.
- Manually controlled engine speed provides 8 or 12 GPM.
- Tool circuit lockout during startup safety feature.
- Quartz hour meter on control panel records engine run time.
- Lift & Latch handle with fold-up side handles.
- 35-AH sealed, non-spillable, no maintenance battery located in covered compartment.
- In tank hydraulic filter with dipstick and easy access filter replacement.

SPECIFICATIONS

HP12	
Output Capacity	8-12 GPM
	30-45 LPM
Pressure	2000 PSI
	140 BAR
Circut Type	Open Center
Hydraulic Reservoir Capacity	3 Gallons
	11.5 Liters
Fuel Tank Capacity	5.5 Gallons
	20.8 Liters
Weight	340 LBS
	154 KG
Length	35 IN
	89 CM
Width	21.5 IN
	54.6 CM
Height	29 IN
	73.7 CM
Engines	Briggs & Stratton 23 HP Vanguard
Connector	HTMA Flush Faced coupler



ORDERING INFORMATION

PART NO.	DESCRIPTION
HP12B	12 GPM Briggs & Stratton, 23 HP Power Unit

ACCESSORIES

ITEM NO.	DESCRIPTION
31848	Dual Hose, 50 ft x 1/2 in., w/Couplers
31972	Dual Hose, 25 ft x 1/2 in., w/Couplers
58633	Twinned Hose, 25 ft x 1/2 in., w/Couplers
58634	Twinned Hose, 50 ft x 1/2 in., w/Couplers
13360	Hose Basket Kit
33212	Weather Cover

WARRANTY

Stanley Hydraulic Tools and their associated parts are warranted against defects in materials and workmanship for a period of twelve months from the date of purchase. Stanley Hydraulic Tools reserves the right to repair or replace only those parts which prove to have been defective at the time of purchase. This warranty becomes void if maximum flow and pressure ratings are exceeded.

All Stanley Hydraulic Tools, parts, accessories and allied equipment are subject to design improvements, specifications and price changes at any time without notice and with no obligation to units already sold. Weights, dimensions and operating specifications listed herein are subject to change without notice. Where specifications are critical to your applications, please consult Stanley Hydraulic Tools.